11091245 BS GALVA BAR 3 m - Ø 160 mm

Circular galvanised steel ducts are ideal for all types of air distribution systems.



Galvanised steel circular ducts

Galvanised steel circular duct

PRODUCT BENEFITS

Product description

Circular galvanised steel ducts are ideal for all types of air distribution systems. They are available in lengths of 3 m or 2.47 m.

Fields of application

Multi-occupancy residential housing, New, Refurbishment, Non-residential buildings

Installation

- accessories easily slotted on: ducts are female, accessories are male,
- attached using collars or perforated strip, rails, etc. (see installation accessories pages).

Reference arguments

Application:

• Used to connect any air distribution ducting.

Description:

• Galvanised steel straight, circular duct stapled in spiral pattern, length 3 m Ø160.

Main characteristics

- standard bar length: 3 m,
- storey elements (2.47 m), designed for use as risers in multi-occupancy residential buildings, are ideal for coupling with CRE storey collectors and enable faster assembly,
- range available from diameter 80 to 900.
- ribbed tubes with smooth end pieces to ensure airtight seal on rigid connections,
- M0 fire certification,
- compliance with standards NF EN 1506 and NF EN 12237.

Accessories

110000001100				
Désignations	References			
INSULATED COLLAR D160	11091059			
Quick suspension cable 2 m 15 kg loop end	11091063			
Quick Susp. cable 2 m 0-45 kg	11091064			
Quick Susp. cable 3 m 0-45 kg	11091065			
Quick Susp. cable 5 m 0-45 kg	11091093			
Inspection hatch D160 180 x 80	11091836			

General data

aonorar aa	onordi dadi		
References	Free air passage section (m²)		
11091245	0,08		

Dimensional data

References	L (mm)	Ø (mm)	Weight (kg)
11091245	3000	160	5,441







CIRCULAR DUCTS

11091245 BS GALVA BAR 3 m - Ø 160 mm



