
Connector



The oblong horizontal 90° Y-piece enables confluence of two oblong duct branches at a 90° angle from each other.



Oblong Horizontal Y-piece

PRODUCT BENEFITS

small size for high airflow,
good airtight performance and controlled pressure losses,
easy to install and maintain (no inaccessible corners).

Product description

The oblong horizontal 90° Y-piece enables confluence of two oblong duct branches at a 90° angle from each other. Its aeraulic design means limited pressure loss, especially when used for air supply.

Fields of application

Multi-occupancy residential housing, New, Refurbishment, Non-residential buildings

Installation

- easy assembly of interlocking accessories: ducts are female, accessories are male,
- Final seal requires sealant and/or perforated strip,
- attached to duct using self-tapping screws (4 to 6 depending on diameter).

Reference arguments

Application:

- Oblong accessories for installation of ventilation systems in confined spaces (suspended ceiling, horizontal side flues conveying high airflow, etc.)
- \bullet Confluence of two oblong duct branches at 90° in the same plane.
- Aeraulic form limits pressure loss especially when used for air supply.

Description:

- Horizontal oblong Y-piece, made of galvanised steel.
- Length 350 mm and height 100 mm.

Main characteristics

- standard dimensions (20 oblong sections),
- galvanised steel as per EN 10346 ensuring uniformity of coating,
- M0 fire certification.

Connector

11063482 CSH Y-PIECE GALVA - 350x100

Dimensional data

