

11011162

EAI Module 30 m³/h - 38 dB - Black

EAI is an acoustic self-balanced air inlet for installation in woodwork on individual houses and multi-occupancy residential buildings.



EAI self-balanced air inlet: pitch 370 mm

PRODUCT BENEFITS

- accessory-free soundproofing up to 38 dB,
- no visible screw attachment.

Principles of operation

EAI is a self-balanced air inlet. It ensures a constant airflow of fresh air, whatever the conditions inside the dwelling.

Product description

EAI is an acoustic self-balanced air inlet for installation in woodwork on individual houses and multi-occupancy residential buildings. It ensures a constant airflow of fresh air, whatever the conditions inside the dwelling.

Fields of application

Multi-occupancy residential housing, Individual residential housing, Refurbishment

Installation

- The air inlets should only be installed in main rooms: bedroom, living room, lounge,
- they must be installed in the upper part of windows or on the roller shutter box,
- the airflow must be directed at the ceiling,
- installed on woodwork,
- installed on any type of mortise,
- single slot 250 x 15 mm.

Reference arguments

- Single opening (250 x 15) mm.
- Inverted air inlet: opening positioned at bottom of air inlet.

11011162 EAI Module 30 m³/h - 38 dB - Black

Main characteristics

- acoustic air inlet for woodwork,
- installed in:
- single-slot mortise 250 x 15 mm.

Accessories


| Désignations | References |
|--------------------------------------|------------|
| Louvre cover - White | 11011237 |
| Standard cover - Light Oak | 11011274 |
| Woodwork cover - Ivory | 11011699 |
| Woodwork cover - Aluminium | 11011753 |
| Woodwork cover - Black | 11011813 |
| Woodwork cover - Brown | 11011814 |
| Woodwork cover - Oak | 11011815 |
| Woodwork cover - Anthracite | 11011424 |
| Woodwork cover - White | 11011988 |
| APP rain hood cover woodwork - White | 11011901 |
| Long adapter flange - White | 11011413 |
| Long adapter flange - Oak | 11011414 |
| Long adapter flange - Brown | 11011415 |
| Long adapter flange - Black | 11011416 |
| Long adapter flange - Aluminium | 11011417 |
| Long adapter flange - Light Oak | 11011418 |
| Long adapter flange - Ivory | 11011419 |

General data

| References | Colour |
|------------|--------|
| 11011162 | Wenge |

Dimensional data

| References | H (mm) | w (mm) | L (mm) | Slot (mm) |
|------------|--------|--------|--------|------------|
| 11011162 | 39 | 43 | 390 | (250 x 15) |



Entraxe : 370 mm

Airflow data

| References | Airflow (m ³ /h) |
|------------|-----------------------------|
| 11011162 | 30 |


11011162

EAI Module 30 m³/h - 38 dB - Black

Acoustic data

| References | Dnew (Ctr) with standard cover (dB) |
|------------|-------------------------------------|
| 11011162 | 38 |

Installation visual 1



Mise en œuvre entrée d'air EAI