11011555 EAI kit 22 m3/h - 38 dB - White

EAI is an acoustic self-balanced air inlet for installation in woodwork on individual houses and multi-occupancy residential buildings.



EAI air inlet - White

Standard cover for woodwork - White

PRODUCT BENEFITS

accessory-free soundproofing up to 38 dB,
no visible screw attachment.

Principles of operation

EAI is a self-balanced air inlet. It ensures a constant airflow of fresh air, whatever the conditions inside the dwelling.

Product description

EAI is an acoustic self-balanced air inlet for installation in woodwork on individual houses and multi-occupancy residential buildings. It ensures a constant airflow of fresh air, whatever the conditions inside the dwelling.

Fields of application

Multi-occupancy residential housing, Individual residential housing, Refurbishment

Installation

- The air inlets should only be installed in main rooms: bedroom, living room, lounge,
- they must be installed in the upper part of windows or on the roller shutter box,
- the airflow must be directed at the ceiling,
- installed on woodwork.
- installed on any type of mortise,
- single slot 250 x 15 mm.

Reference arguments

- Single opening (250 x 15) mm.
- Inverted air inlet: opening positioned at bottom of air inlet.

Main characteristics

- acoustic air inlet for woodwork,
- installed in:
- single-slot mortise 250 x 15 mm.





11011555 EAI kit 22 m3/h - 38 dB - White

Contents of kits

1 hood

Accessories


Désignations	References
Louvre cover - White	11011237
Standard cover - Light Oak	11011274
Woodwork cover - Ivory	11011699
Woodwork cover - Aluminium	11011753
Woodwork cover - Black	11011813
Woodwork cover - Brown	11011814
Woodwork cover - Oak	11011815
Woodwork cover - Anthracite	11011424
Woodwork cover - White	11011988
APP rain hood cover woodwork - White	11011901
Long adapter flange - White	11011413
Long adapter flange - Oak	11011414
Long adapter flange - Brown	11011415
Long adapter flange - Black	11011416
Long adapter flange - Aluminium	11011417
Long adapter flange - Light Oak	11011418
Long adapter flange - Ivory	11011419

General data

Reference	s Colour	
1101155	Lagoon blue	

Dimensional data

F	References	H (mm)	w (mm)	L (mm)	Slot (mm)
	11011555	30	43	390	(250 v 15)



Entraxe : 370 mm

Airflow data

References	Airflow (m³/h)
11011555	27




11011555 EAI kit 22 m3/h - 38 dB - White

Acoustic data

References	Dnew (dB)	Dnew (Ctr) with standard cover (dB)
11011555	38	38

Installation visual 1



Mise en œuvre entrée d'air EAI

