

Transfer grille**11003422**
GRIDLINED Exhaust core

GRIDLINED Exhaust is an aluminium fixed wall grille for indoor air extraction in commercial buildings.

**PRODUCT BENEFITS**

- discretion through ceiling installation,
- easy to install,
- compatible with AldesArchitect range.

Principles of operation

The GRIDLINED Exhaust aluminium fixed floor grille operates on the extraction circuit for all ventilation and air conditioning systems in commercial buildings.

Product description

GRIDLINED Exhaust is an aluminium fixed grille for indoor air extraction in commercial buildings. Wall or ceiling installation. Its vanes are inclined at 45° to ensure discretion. It is installed using concealed attachments. Maximum dimensions are 2000 x 800 mm. This grille is compatible with the AldesArchitect range for an elegant decorative finish.

Fields of application

New, Refurbishment, Non-residential buildings

Installation

- wall or ceiling installation,
- concealed attachment using clips or fasteners.

Reference arguments

- Gridlined Exhaust Core aluminium single-deflection wall grille for return air. • Sleek design and high production quality. • Dimensions: 75x200 to 800x2000 mm.
- Anodised aluminium or epoxy paint finish. • Frameless. • Fixed horizontal front bars with 45° deflection for confidentiality function. • No attachment.

Main characteristics

- aluminium fixed indoor grille,
- air extraction in commercial buildings,
- suited to chlorinated environments e.g. pool areas,
- extruded aluminium profiles,
- fixed vanes with 45° incline, no through-view for discretion,
- frame width 23 mm,
- core available alone without frame (core version),
- concealed attachment using clips or fasteners,
- AldesArchitect finish available.

Options

9010
DECORHC
PEINTHC
RAL1
RAL2
RAL4

Transfer grille

11003422
GRIDLINED Exhaust core

General data

Variants	Main material
11003422	Aluminium

