

Thermal insulation**11023447****InspirAIR® Side 240 Classic Modbus Left side**

Heat recovery ventilation solution that matches the pace of occupant lifestyles.

**PRODUCT BENEFITS**

- more purified air: up to 90% of bacteria, pollen and fine particles eliminated,
- more design: pure and minimalist lines to blend in with the most demanding interiors,
- more comfort: balances your indoor air while insulating from outdoor noise.

REGULATIONS AND COMPLIANCES

Identification no. QB37 ;
 Technical Opinion no. ;

Principles of operation

General and permanent ventilation of dwelling with heat recovery on exhaust air to pre-heat incoming air. Incoming air is purified with custom filters to ensure clean air throughout the dwelling.

Product description

Heat recovery ventilation solution with filtered incoming air and indoor air renewal without heat loss.

Fields of application

Multi-occupancy residential housing, Individual residential housing, New, Refurbishment, Non-residential buildings

Installation

- horizontal installation on ceiling or vertical on wall,
- condensate outlet connected to PVC Ø 32 mm duct,
- installation in heated space recommended.

Main characteristics

- material:
 - PPE body and metal panels,
- configuration:
 - left or right (2 versions),
- airflow:
 - 150, 240, 370,
- 100% bypass as standard,
- Classic control keypad,
- four modes:
 - holiday,
 - auto,
 - boost,
 - guest.

Thermal insulation

11023447

InspirAIR® Side 240 Classic Modbus Left side

Contents of kits

- InspirAIR® Side; 1
- Mounting kit; 1
- Connector D.160; 0
- Classic embedded control keypad; 1
- Siphon; 1
- Dust filter; 1
- Pollen filter; 1
- Modem for AldesConnect® app; 0

Accessories

Description	Variants
Wall cradle InspirAIR® Side	11023322
VEX40T internal preheating coil*	11023225
Wired remote control 3-speed	11023065

Filters



Description	Variants
Bacteria filter InspirAIR® Side 240	11023331
Fine particle filter for InspirAIR® Side 240	11023326
Pollen filter for InspirAIR® Side 240	11023340
Dust filter for InspirAIR® Side 240	11023325
VOC filter for InspirAIR® Side 240	11023438

General data

Variants	Available filters	Type of exchanger	Type of motor
11023447	> pollen: - Coarse 65% > particles: - ePM10 50% > fine particles: - ePM1 0 85% - ePM2.5 65% > bacteria:- ePM2.5 95% - ePM1 80%> VOC: - ePM10 85% - ePM2.5 65%.	With plates	EC

Dimensional data

Variants	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Weight (kg)
11023447	600	160	250	1150	215	365	30



Airflow data

Variants	Airflow at max. speed (m³/h)
11023447	240

Electrical datas

Variants	Voltage (V)	Frequency (Hz)	Max. power	Max. current (A)
11023447	230	50	183	1,75

Regulatory data


Variants	Ventilation energy class – Average climate
11023447	A

Thermal insulation

11023447

InspirAIR® Side 240 Classic Modbus Left side

Curve



> Test conditions:

- Outdoor air = dry air at 5°C, Hr <20%.

- Indoor air = dry air at 25°C, HR < 20%. (EN 13141-7 and EN 308)