

**Core terminal**

# 11052228

## SR 143 D160

The SR 143 steel core terminal with on-site adjustable airflow is used for air return.



SR 143 D160

### PRODUCT BENEFITS

- adjustable airflow,
- wall connection sleeve supplied.

### Principles of operation

The SR 143 terminal is fitted with an adjustable core to calibrate the airflow on site.

### Product description

The SR 143 terminal has an adjustable core, which makes it possible to adjust the return airflow in the room.

### Fields of application

New, Refurbishment, Non-residential buildings

### Installation

- wall or ceiling installation,
- attached directly in duct using a connection sleeve.

### Reference arguments

- SR 143 core terminal for return air D160
- Steel with epoxy paint RAL 9010 white, 30% gloss
- Adjustable airflow using counter-nut locked core
- Outer ring fitted with airtight seal
- Wall or ceiling-mounted
- Slotted into the duct using the steel connection sleeve supplied

### Main characteristics

- Steel with white epoxy paint finish, RAL 9003 30% matt,
- adjustable airflow due to adjustable core with counter-nut,
- outer ring fitted with airtight seal,
- wall connection sleeve supplied,
- wall or ceiling installation

### Accessories

Désignations	References
Smooth plasterboard sleeve L100 pour SR 143-145	11053358

### General data

References	Type of finish	Colour
11052228	Epoxy paint	Lagoon blue


## Core terminal

# 11052228

## SR 143 D160

### Dimensional data

References	L (mm)	L1 (mm)	L2 (mm)	P1 (mm)	Ø A (mm)	Ø D (mm)
11052228	60	50	130	62	160	218



Bouche SR 143 avec manchette

### Airflow data

References	Comfort airflow for Lw < NR 30
11052228	150